For New Technology Network

NTNcorporation

Bearing Units Plastic Housing Series

CAT. No. 3904-**Ⅲ** / E



The NTN plastic series ensures a clean operating environment.

1. Features

Guards against corrosion

Maintains a clean operating environment

Low torque characteristics

Light weight Water resistant

NTN bearing units in the plastic series feature ball bearings inserted into housings made of plastics that provide superior resistance to corrosion as compared to standard series cast iron units. This series is especially useful in a wide variety of applications because of the nonmagnetic and rust free properties of the housing.

The solid grease lubricant in the ball bearing, solely developed by **NTN**, reduces leakage from the bearing, significantly reducing environmental pollution. Also, the housing will not stain, nor is there paint to peel and contaminate the environment.

The standard solid grease type for these ball bearing units is spot-pack which places the lubricant on the bearing cage. Torque consumption capabilities of spot-pack bearings is low due to reduced whip resistance in comparison to standard grease lubricated ball bearings.

Weight is reduced more than 30% to 60% over standard series units.

The glass filled polyester housing not only reduces corrosion but offers better water resistance.

2. Materials

	Parts	Materials				
	Raceways	Martensite stainless steel (equivalent to SUS440C)				
	Rolling element	Martensite stainless steel (SUS440C)				
Bearing	Slinger, Cage	Austenite stainless steel (SUS304)				
	Rubber seal	Nitryl rubber				
	Set screw(W shape screw head)	Martensite stainless steel (SUS410)				
	Housing	Glass reinforced Polyester (VALOX 420)				
Bearing housing	Sleeve for set bolt	Austenite stainless steel (SUS 304)				
	Nut for grease nipple	Austenite stainless steel (SUS 304)				
	Dust cover	Polypropylene				
	Plug	Polyethylene				

VALOX is a trade mark of General Electric Company

3. Recommended operating temperature and allowable speed

Bearings with solid grease are recommended to operate under -20 to +80°C. However, operating temperature should be below +60°C when bearing is operated with continuous use.

dn value: 12×10^4

(dn= bore diameter in mm *speed in min⁻¹)

Remarks: The recommended operating temperature range and allowable speed is applied to all bearings with solid grease. Contact NTN when your application exceeds these recommendations. For standard grease, the maximum recommended temperature for plastic units is 80°C to prevent creeping between bearing outer ring and housing bore.

4. Compatibility and Handling

Basically, the plastic housing series is compatible with standard cast iron series units when setting, however, the nominal setting bolt diameter may differ from the standard series. The housing should be handled carefully and may be damaged if dropped on hard surfaces or hit with metal hammers. An electrostatic charge may be generated in certain operating conditions, making it inadvisable for use when flammable or explosive conditions may occur. The unit may be regreased using the plug on the housing, however relubrication is not recommended when unit ball bearings are packed with solid grease.

5. Applications

Bearings with solid grease are suitable for applications requiring a clean operating environment such as: food processing and packaging machinery, chemical processing machines, etc.

6. Option

When a stainless steel insert bearing is not required, a standard steel insert bearing can applied. In that case a relubricable type will be provided. Contact **NTN** for additional information.

Recommended tightening torque for set screw

Unit: N· m/lbf· inch

Bearing number (F-UC)		of set screws crew head)	Tightening torques (Max)				
(1-00)	Metric series	Inch series	N• m	lbf• inch			
204, 205	M5 × 0.8	No.10-32UNF	3.9	34			
206	$M6 \times 0.75$	1/4-28UNF	4.9	43			
207	$M6 \times 0.75$	1/4-28UNF	5.8	52			
208	M8 × 1	5/16-24UNF	7.8	69			

Tighten the two set screws uniformly using the torque listed in this table. Over tightening the set screw may cause the inner ring to crack.

Recommended tightening torque for setting bolt

Unit: N· m/lbf· inch

				OTHE: 14 111/101 111011				
Housing number	Nominal	bolt dia.	Tightening torques (Max.)					
	Metric series	Inch series	N• m	lbf• inch				
PR204D1	M10	3/8	17.7	156				
PR205D1	WHO	3/0	24.5	217				
PR206D1			29.4	260				
PR207D1	M12	7/16	35.3	312				
PR208D1			45.1	399				
FLR204D1			17.7	156				
FLR205D1	M10	3/8	24.5	217				
FLR206D1			29.4	260				
FLR207D1	M12	7/16	35.3	312				
FLR208D1	IVIIZ	7,10	40.2	356				

Over tightening the setting bolt may deform the plastic housing. Use the tightening torque guideline listed in this table.

NTN recommends the use of a washer between the bolt and housing base.

If a washer is not used, damage to the base could occur.

Plastic housing static strength

The table below indicates the static strength of plastic housings at room temperature (23.5°C). The static strength of plastic housings varies by operating temperature, housing type and load direction and must be factored into the selection process. NTN recommends using safety equipment should the housing become damaged or broken, creating a dangerous working environment.


Unit: N/lbf

Type of				Stati	ic strength of ho		Unit: N/IDI
housing	Direction	n of load			Nominal number		
			204	205	206	207	208
	Downward		16,600	19,600	2,830	38,300	44,500
	Downward		3,730	4,410	6,370	8,620	10,000
	Horizontal		7,000	7,400	8,600	10,300	12,100
PR	Tionzontai		1,570	1,680	1,940	2,310	2,710
	Upward		5,600	5,800	6,000	6,600	11,100
	Not recommended.		1,260	1,300	1,340	1,480	2,490
	Axial direction		3,000	3,200	4,000	5,700	8,500
	Not recommended.		680	730	900	1,280	1,920
	Horizontal		5,600	8,000	10,800	13,800	17,300
	Honzontal		1,260	1,810	2,430	3,110	3,880
51.5	45 degrees		6,600	8,400	10,300	12,200	14,000
FLR	upward		1,480	1,900	2,310	2,730	3,150
	Upward		7,400	7,600	8,500	10,700	15,100
	Ормаги		1,680	1,720	1,920	2,400	3,400

Dimensions for dust cover

Unit: mm/ inch

						31110. 1111111/1/111011									
Cover		Dimensions													
number	L) 1	L	O_2	1	L									
RM-204	36	1 ¹³ / ₃₂	50	1 ³¹ / ₃₂	29.5	1 1/32									
RM-205	41	1 %	55	2 1/32	31.0	1 1/32									
RM-206	50	1 ³¹ / ₃₂	64	2 17/32	35.0	1 3/8									
RM-207	60	2 3/8	74	2 ¹⁵ / ₁₆	38.0	1 ½									
RM-208	68	2 11/16	84	3 5/16	40.0	1 1/16									



Water and chemical resistance of housing (VALOX 420®)

Among engineering plastics, VALOX has better water absorption characteristics (0.06% at 23 over 24 hours) and better dimensional stability. VALOX is made of crystallized polymer and while not affected by organic solvents, is affected by alkaline, making it important to consider the operating environment. The table demonstrates VALOX's chemical resistance when soaked in solvent at 30 or 90 days.

			Deterioration	on ratio ¹⁾ %			Temperature	Deterioration ratio 10 %	
	Chemicals	Temperature	Number of o	days soaked		Chemicals	Temperature	Number of days soaked	
			30 days	90 days				30 days	90 days
	Hydrochloric acid, 10%	23	89	85		Ethyl alcohol	23	99	96
Acid	Sulfuric acid, 36%	23	97	97		Methyl alcohol	23	91	82
Aciu	Sulfulle acid, 30 %	60	84	60		Isopropyl alcohol	23	100	100
	Acetic acid 10%	23	88	88	Organic	Acetone	23	86	74
	Potassium hydroacid, 5%	23	88	10	solven	Methyl Ethyl Keton	23	90	80
Alkaline	Sodium hydroacid, 10%	23				Ethyl acetate	23	96	86
	Ammonia hydroacid, 10%	23	96	87		Methylene chloride	23	54	54
	Motor oil	23	100	100		ethylene grycole	23	100	100
Oil	Brake oil	23	100	100		Zinc chrolide 10%	23	97	94
Oil	Casalina (Pagular)	23	100	100	Sodium	Calcium chrolide 10%	23	98	98
	Gasoline (Regular)	60	93	90		Sodium chrolide 5%	23	97	97

Remarks 1) Deterioration (%) is the strength after test divided by the strength before test.

The symbol indicates that results could not be measured as the test piece dissolved.

Remarks 2) The values listed in the table are not guaranteed as they are the result of soaking without operating stresses on the sample. Because this strength data is general, it does not apply under all operating conditions. Actual housing strength will vary depending on the type and concentration of liquid, temperature, load, etc.

Remarks 3) Technical data provided by General Electric Company.

Anti-Corrosion capability

NTN recommends ratings of to for optimum corrosion resistance. excellent ← → pool

Condition	Atmos	sphere		iter		Acid			
Materials	Dry	Wet	Natural water	Sodium water	Nitric acid	Sulfuric acid	Hydrochloric acid		
Martensite stainless steel SUS440C, SUS410						×	×		
Austenite stainless steel SUS304, SCS13									
Polyester plastics VALOX 420									
Polypropylene, polyethylene									
High carbon steel SUJ2				×	×	×	×		
Carbon steel, Cast iron		×	×	×	×	×	×		

Remarks: This data is obtained by observation of the surface conditions of materials.

Note that these anti-corrosion capabilities are altered by anti-corrosion surface treatment.


Not recommended for use in liquid.

Pillow type bearing unit F-UCPR2 series

Cylindrical bore, set screw type

Shaft dia.	Unit number		Nominal dimensions mm inch									Bolt	Bearing number	Housing	Mass of unit
mm inch		Н	L	J	A	N	Nı	Hı	H 2	В	S	size	· ·	number	(Ref.) kg lb
20 3/ ₄	F-UCPR204/LP03 F-UCPR204-012/LP03	33.3 1 ⁵ ⁄ ₁₆	127 5	95 3 ¾	38 1½	11 7/16	14 % 16	14.2 % 16	65 2 %	31 1.2205	12.7 0.500	M10	F-UC204D1/LP03 F-UC204-012D1/LP03	PR204D1 PR204D1	0.3 0.7
25 13/16 7/8 15/16 1	F-UCPR205/LP03 F-UCPR205-013/LP03 F-UCPR205-014/LP03 F-UCPR205-015/LP03 F-UCPR205-100/LP03	36.5 1 ½	140 5½	105	38 1½	11 7/16	14 9/16	14.5 9/16	71 2 ²⁵ ⁄ ₃₂	34.1 1.3425	14.3 0.563	M10	F-UC205D1/LP03 F-UC205-013D1/LP03 F-UC205-014D1/LP03 F-UC205-015D1/LP03 F-UC205-100D1/LP03	PR205D1 PR205D1	0.3
30 1½6 1½8 1¾6 1¼	F-UCPR206/LP03 F-UCPR206-101/LP03 F-UCPR206-102/LP03 F-UCPR206-103/LP03 F-UCPR206-104/LP03	42.9 1 11/16	162 6 ³ / ₈	119 4 ¹¹ / ₁₆	46 1 ¹³ / ₁₆	14 9/16	18	17.8	83 3 ⁹ / ₃₂	38.1 1.5000	15.9 0.626	M12	F-UC206-D1/LP03 F-UC206-101D1/LP03 F-UC206-102D1/LP03 F-UC206-103D1/LP03 F-UC206-104D1/LP03	PR206D1 PR206D1	1.1
35 1 ½ 15/16 1 ¾ 1 ½ 1 1/16	F-UCPR207/LP03 F-UCPR207-104/LP03 F-UCPR207-105/LP03 F-UCPR207-106/LP03 F-UCPR207-107/LP03	47.6 1 1/8	167 6 %	127 5	48 1 1/8	14 9/16	18	18	94 3 ¹¹ / ₁₆	42.9 1.6890	17.5 0.689	M12	F-UC207D1/LP03 F-UC207-104D1/LP03 F-UC207-105D1/LP03 F-UC207-106D1/LP03 F-UC207-107D1/LP03	PR207D1 PR207D1	0.7
40 1 ½ 1%	F-UCPR208/LP03 F-UCPR208-108/LP03 F-UCPR208-109/LP03	49.2 1 ¹⁵ / ₁₆	184 7 ½	137 5 ¹³ ⁄ ₃₂	54 2 ½	14 % 16	18 23/32	19.5 25/32	98 3 ²⁷ / ₃₂	49.2 1.9370	19 0.748	M12 7/16	F-UC208D1/LP03 F-UC208-108D1/LP03 F-UC208-109D1/LP03	PR208D1 PR208D1	1.0

Stainless bearing with solid grease + glass fiber reinforced plastic housing.




Rhombus flange type bearing unit F-UCFLR2 series

Cylindrical bore, set screw type


Shaft dia.		Nominal dimensions										Bolt		Housing	Mass of
mm inch	Unit number	Н	J	A 2	A 1	A	N	L	A_0	В	S	size	Bearing number	number	unit (Ref.) kg lb
20 3⁄4	F-UCFLR204/LP03 F-UCFLR204-012/LP03	113 4 ½	90 3 ³⁵ ⁄ ₆₄	15.4 19/ ₃₂	11.4 ½	26.5 1 ½	11 1/16	64 2 ¹⁷ / ₃₂	33.7 1 ²¹ ⁄ ₆₄	31 1.2205	12.7 0.500	M10 3/8	F-UC204D1/LP03 F-UC204-012D1/LP03	FLR204D1 FLR204D1	0.3 0.7
25 13/16 7/8 15/16 1	F-UCFLR205/LP03 F-UCFLR205-013/LP03 F-UCFLR205-014/LP03 F-UCFLR205-015/LP03 F-UCFLR205-100/LP03	130 5 ½	99 3 ⁵⁷ ⁄64	17 ²¹ / ₃₂	13.5	29.1 1 ⁵ / ₃₂	11 1/16	68 2 ¹¹ / ₁₆	36.8 1 ²⁹ ⁄ ₆₄	34.1 1.3425	14.3 0.563	M10	F-UC205D1/LP03 F-UC205-013D1/LP03 F-UC205-014D1/LP03 F-UC205-015D1/LP03 F-UC205-100D1/LP03	FLR205D1	0.3
30 1½6 1½8 1¾6 1½	F-UCFLR206/LP03 F-UCFLR206-101/LP03 F-UCFLR206-102/LP03 F-UCFLR206-103/LP03 F-UCFLR206-104/LP03	148 5 ¹³ / ₁₆	117 4 ³⁹ ⁄ ₆₄	19 3⁄4	13.3	30.5 1 ³ / ₁₆	11 7⁄16	3 ⁵ / ₃₂	41.2 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	38.1	15.9 0.626	M10	F-UC206-D1/LP03 F-UC206-101D1/LP03 F-UC206-102D1/LP03 F-UC206-103D1/LP03 F-UC206-104D1/LP03	FLR206D1 FLR206D1	0.5
35 1 ½ 15/16 1 ¾ 1 ½ 1 ½ 1 ½	F-UCFLRM207/LP03 F-UCFLR207-104/LP03 F-UCFLR207-105/LP03 F-UCFLR207-106/LP03 F-UCFLR207-107/LP03	163 6 ¹³ ⁄ ₃₂	130 5 1/8	18 23/ ₃₂	16.1	32.8 1 ⁹ / ₃₂	13	90 3 ¹⁷ / ₃₂	43.4 1 ⁴⁵ ⁄ ₆₄	42.9 1.6890	17.5 0.689	M12	F-UC207D1/LP03 F-UC207-104D1/LP03 F-UC207-105D1/LP03 F-UC207-106D1/LP03 F-UC207-107D1/LP03	FLR207D1 FLR207D1	0.7
40 1 ½ 1% 1%	F-UCFLR208/LP03 F-UCFLR208-108/LP03 F-UCFLR208-109/LP03	175 6 %	144 5 ⁴³ ⁄ ₆₄	21.5 ²⁷ / ₃₂	20 25/ ₃₂	37.5 1 ¹⁵ ⁄ ₃₂	14 % 16	100 3 ¹⁵ / ₁₆	51.7 2 ½2	49.2 1.9370	19 0.748	M12 7/16	F-UC208D1/LP03 F-UC208-108D1/LP03 F-UC208-109D1/LP03	FLR208D1 FLR208D1	0.9


Stainless bearing with solid grease + glass fiber reinforced plastic housing



Housing tolerances

1. Center height tolerances for pillow type bearing unit.






Pillow type bearing unit F-RM-UCPR2 series

Cylindrical bore, set screw type

Shaft dia.	Unit number		l	 	Nom	ninal mn		nens	ions	S	ı		Bolt size	Bearing number	Housing number	Mass of unit
mm inch		Н	L	J	A	N	Nı	H ₁	<i>H</i> ₂	A_1	В	S				(Ref.) kg lb
20 3⁄4	F-RM-UCPR204/LP03 F-RM-UCPR204-012/LP03	33.3 1 ½	127 5	95 3¾	38 1½	11 1/16	14 % 16	14.2 %6	65 2 %	39 1 ¹⁷ ⁄ ₃₂	31 1.2205	12.7 0.500	M10 3/8	F-UC204D1/LP03 F-UC204-012D1/LP03	PR204D1 PR204D1	0.3 0.7
25 13/16 7/8 15/16 1	F-RM-UCPR205/LP03 F-RM-UCPR205-013/LP03 F-RM-UCPR205-014/LP03 F-RM-UCPR205-015/LP03 F-RM-UCPR205-100/LP03	36.5 1 ½	140 5½	105	38 1½	11 1/6	14 9/16	14.5 9/16	71 2 ²⁵ ⁄ ₃₂	40 1 %	34.1 1.3425	14.3 0.563	M10	F-UC205D1/LP03 F-UC205-013D1/LP03 F-UC205-014D1/LP03 F-UC205-015D1/LP03 F-UC205-100D1/LP03	PR205D1 PR205D1	0.3
30 1½6 1½8 1¾8 1½6 1¼	F-RM-UCPR206/LP03 F-RM-UCPR206-101/LP03 F-RM-UCPR206-102/LP03 F-RM-UCPR206-103/LP03 F-RM-UCPR206-104/LP03	42.9 1 11/16	162 6¾	119 4 11/16	46 1 ¹³ / ₁₆	14 %16	18	17.8	83 3 ⁹ / ₃₂	46 1 ¹³ / ₁₆	38.1 1.5000	15.9 0.626	M12 7/16	F-UC206-D1/LP03 F-UC206-101D1/LP03 F-UC206-102D1/LP03 F-UC206-103D1/LP03 F-UC206-104D1/LP03	PR206D1 PR206D1	0.5
35 1 ½ 15½ 1 3/8 1 ½ 16	F-RM-UCPR207/LP03 F-RM-UCPR207-104/LP03 F-RM-UCPR207-105/LP03 F-RM-UCPR207-106/LP03 F-RM-UCPR207-107/LP03	47.6 1 1/8	167 6 %	127 5	48 1 1/8	14 %16	18	18	94 3 ¹¹ / ₁₆	49 1 ¹⁵ / ₁₆	42.9 1.6890	17.5 0.689	M12	F-UC207D1/LP03 F-UC207-104D1/LP03 F-UC207-105D1/LP03 F-UC207-106D1/LP03 F-UC207-107D1/LP03	PR207D1 PR207D1	0.7 1.5
40 1 ½ 1% 1%	F-RM-UCPR208/LP03 F-RM-UCPR208-108/LP03 F-RM-UCPR208-109/LP03	49.2 1 ¹⁵ / ₁₆	184 7 ½	137 5 ¹³ ⁄ ₃₂	54 2 ½	14 % 16	18 23/ ₃₂	19.5 25/32	98 3 ²⁷ ⁄ ₃₂	52 2½	49.2 1.9370	19 0.748	M12 7/16	F-UC208D1/LP03 F-UC208-108D1/LP03 F-UC208-109D1/LP03	PR208D1 PR208D1	1.0 2.2

Stainless bearing with solid grease + glass fiber reinforced plastic housing




Rhombus Flange type bearing unit F-RM-UCFLR2 series

Cylindrical bore, set screw type

Shaft dia.	Unit number		I		Nom	ninal mn		nens nch	ions	S	ı	ı	Bolt size	Bearing number	Housing number	Mass of unit
mm inch		Н	J	A_2	A_1	A	N	L	A_0	<i>A</i> ₄	В	S	V			(Ref.) kg lb
20 3⁄4	F-RM-UCFLR204/LP03 F-RM-UCFLR204-012/LP03	113 4 ½	90 3 ³⁵ ⁄ ₆₄	15.4 19/ ₃₂	11.4 %	26.5 1 ½2	11 1/16	64 2 ¹⁷ / ₃₂	33.7 1 ²¹ ⁄ ₆₄	53 2 ½	31 1.2205	12.7 0.500	M10 3/8	F-UC204D1/LP03 F-UC204-012D1/LP03	FLR204D1 FLR204D1	0.3 0.7
25 13/16	F-RM-UCFLR205/LP03 F-RM-UCFLR205-013/LP03	130	99	17	13.5	29.1	11	68	36.8	57	34.1	14.3	M10	F-UC205D1/LP03 F-UC205-013D1/LP03	FLR205D1	0.3
7/8 15/16 1	F-RM-UCFLR205-014/LP03 F-RM-UCFLR205-015/LP03 F-RM-UCFLR205-100/LP03	5 1/8	3 57/64	21/32	17/32	1 1/32	7 ₁₆	2 11/16	1 ²⁹ ⁄ ₆₄	21/4	1.3425	0.563	3/8	F-UC205-014D1/LP03 F-UC205-015D1/LP03 F-UC205-100D1/LP03	FLR205D1	0.7
30 1½6	F-RM-UCFLR206/LP03 F-RM-UCFLR206-101/LP03	148	117	19	13.3	30.5	11	80	41.2	64	38.1	15.9	M10	F-UC206-D1/LP03 F-UC206-101D1/LP03	FLR206D1	0.5
1 1/8 13/16 1 1/4	F-RM-UCFLR206-102/LP03 F-RM-UCFLR206-103/LP03 F-RM-UCFLR206-104/LP03	5 ¹³ / ₁₆	4 39/64	3/4	17/32	1 3/16	7/ ₁₆	3 1/32	1%	2 ¹⁷ ⁄ ₃₂	1.5000	0.626	3/8	F-UC206-102D1/LP03 F-UC206-103D1/LP03 F-UC206-104D1/LP03	FLR206D1	1.1
35 1 ½	F-RM-UCFLRM207/LP03 F-RM-UCFLR207-104/LP03	163	130	18	16.1	32.8	13	90	43.4	67	42.9	17.5	M12	F-UC207D1/LP03 F-UC207-104D1/LP03	FLR207D1	0.7
1 ⁵ / ₁₆ 1 ³ / ₈ 1 ⁷ / ₁₆	F-RM-UCFLR207-105/LP03 F-RM-UCFLR207-106/LP03 F-RM-UCFLR207-107/LP03	6 ¹³ / ₃₂	5 1/8	23/32	5/8	1 1/32	1/2	3 17/32	1 ⁴⁵ ⁄ ₆₄	2%	1.6890	0.689	₹ ₁₆	F-UC207-105D1/LP03 F-UC207-106D1/LP03 F-UC207-107D1/LP03	FLR207D1	1.5
40	F-RM-UCFLR208/LP03	175	144	21.5	20	37.5	14	100	51.7	74	49.2		M12	F-UC208D1/LP03	FLR208D1	0.9
1 ½ 1% ₁₆	F-RM-UCFLR208-108/LP03 F-RM-UCFLR208-109/LP03	6%	5 43/64	27/32	25/32	1 15/32	⁹ / ₁₆	3 15/16	2 1/32	2 15/16	1.9370	0.748	7/16	F-UC208-108D1/LP03 F-UC208-109D1/LP03	FLR208D1	2.0


Stainless bearing with solid grease + glass fiber reinforced plastic housing



Housing tolerances


2. Tolerances for rhombus flange type housing. $$_{\mbox{Unit: mm/inch}}$$

	• • • • • • • • • • • • • • • • • • • •	• Offic. Hilly inton
Housing number	A_2 deviation ΔA_2	Tolerances for mounting bolt holes
FLR204D1		
FLR205D1		
FLR206D1	± 0.7 ± 0.028	± 0.5 ± 0.020
FLR207D1	2 3.020	2 3.020
FLR208D1		



Stainless insert bearing

Cylindrical bore, set screw type with solid grease



Shaft	Bearing number	Nominal dimensions mm inch							Basic load rating		Mass			
dia. mm inch		d	D	В	C	₹s min	S	S_1	G	ds ds	d4	dynamic Cr	lbf static <i>C</i> or	(Ref.) kg lb
20 3/4	F-UC204D1/LP03 F-UC204-012D1/LP03	20 0.7500	47 1.8504	31 1.2205	17 0.6693	1 0.039	12.7 0.500	18.3 0.720	4.5 0.177	M5 × 0.8 No.10-32UNF	29.6 1.1654	9 900 2 220	6 650 1 500	0.17 0.39
25 13/16 7/8 15/16 1	F-UC205D1/LP03 F-UC205-013D1/LP03 F-UC205-014D1/LP03 F-UC205-015D1/LP03 F-UC205-100D1/LP03	25 0.8125 0.8750 0.9375 1.0000	52 2.0472	34.1 1.3425	0.6693	0.039	14.3 0.563	19.8 0.780	5 0.197	M5 × 0.8 No.10-32UNF	33.9 1.3346	10 800 2 430	7 850 1 770	0.20 0.53 0.51 0.46 0.44
30 1 ¹ / ₁₆ 1 ¹ / ₈ 1 ³ / ₁₆ 1 ¹ / ₄	F-UC206D1/LP03 F-UC206-101D1/LP03 F-UC206-102D1/LP03 F-UC206-103D1/LP03 F-UC206-104D1/LP03	30 1.0625 1.1250 1.1875 1.2500	62 2.4409	38.1 1.5000	19 0.7480	0.039	15.9 0.626	22.2 0.874	5 0.197	M6 × 0.75	40.8 1.6063	15 000 3 350	11 300 2 540	0.33 0.82 0.77 0.73 0.66
35 1 ½ 15/16 1 3/8 1 ½	F-UC207D1/LP03 F-UC207-104D1/LP03 F-UC207-105D1/LP03 F-UC207-106D1/LP03 F-UC207-107D1/LP03	35 1.2500 1.3125 1.3750 1.4375	72 2.8346	42.9 1.6890	20 0.7874	1.5 0.059	17.5 0.689	25.4 1.000	6 0.236	M6 × 0.75 1/4-28UNF	46.8 1.8425	19 700 4 450	15 300 3 450	0.49 1.21 1.15 1.08 1.01
40 1 ½ 1% 1%	F-UC208D1/LP03 F-UC208-108D1/LP03 F-UC208-109D1/LP03	40 1.5000 1.5625	80 3.1496	49.2 1.9370	21 0.8268	1.5 0.059	19 0.748	30.2 1.189	8 0.315	M8 × 1 5/16-24UNF	53 2.0866	22 400 5 050	17 800 4 000	0.65 1.52 1.46

Note) Insert bearings can be supplied with USDA qualified food grade grease. The resulting grease suffix is "L596". Ex. F-UC204 D1/L596.

Grease name	Allowable temp. range.	Applications	Note		
CALTEX FM Grease EP2	- 20 ~ + 80°C	Food processing and general machines.	H-1 standard grease qualified by USDA.		

Unit ball bearing tolerances (JIS B 1558)

1. Inner ring tolerances.

Unit: µ m/0.0001 inch

Non	ninal bo	re diam	eter	Bor	e diam	eter	Wie	Radial	
$egin{array}{ c c c c c c c c c c c c c c c c c c c$				$\Delta d_{ m mp}$ Deviations		$\Delta V_{ m dp}$ Variations	$\Delta B_{ m s}$ Deviations (ref.)		runout (ref.)
mm	inch	mm	inch	high	low	max.	high	low	max.
18	0.7087	31.750	1.2500	+ 18	0	12	0	- 120	18
10				+ 7	0	5	0	- 47	7
31.750	1.2500	50.800	2.0000	+ 21	0	14	0	- 120	20
				+ 8	0	6	0	- 47	8

 Δd_{mp} ; Mean bore diameter deviation. ΔV_{dp} ; Bore diameter variation.

 $\Delta B_{s};$ Inner ring width deviation.

2. Outer ring tolerances. Unit: μ m/0.0001 inch

Nomi	nal outs	Δ <i>I</i> Devia	Radial runout			
0\	⁄er	in	cl.	Dovic	(ref.)	
mm	inch	mm	inch	high	low	max.
30	1.1811	50	1.9685	0	- 11	20
30				0	- 4	8
50	1.9685	80	3.1496	0	- 13	25
30	1.9003			0	- 5	10

 $\Delta D_{\rm m}$; Mean outside diameter deviation.

The low deviation of outside diameter ΔD_m dose not apply within the distance of 1/4 the width of the outer ring from the side.

Attaching the dust cover

- ① Insert the edge of the dust cover in the housing's groove.
- ② Insert the other side of the dust cover in the opposite housing groove either by hand or with assistance of a plastic/rubber mallet/hammer.
- 3 To remove the dust cover, pry the edge from the housing groove using a screw driver or similar tool.

^{*} **Note:** frequent mounting/dismounting of the dust cover may damage the edge of the housing and is not recommended.

